

| USED IN ASSEMBLY | MATING CONFIG DETAIL | MATING NON-DELPHI PART NUMBER | MATING DELPHI PART NUMBER | PREVIOUS PART NUMBER |
|------------------|-------------------------|----------------------------------|------------------------------|-------------------------|
| - | - | 150-S-002-1-B04 | - | - |

| ASSOCIATED PARTS | | |
|------------------|-----|-----------------------|
| PART NUMBER | QTY | DESCRIPTION |
| 15305024 | 1 | LOCK SECONDARY TPA GT |

| CAVITY INFORMATION | | | | | |
|--------------------|----------|------------|-------------|-----------------------------|----------------------------|
| CAVITY NAME | TERMINAL | CABLE SEAL | CAVITY PLUG | *INSULATION CRIMP HEIGHT | *INSULATION CRIMP WIDTH |
| A-B | 15326266 | 15366022 | 15305171 | - | - |

NOTES

1. THIS CONNECTION MEETS OR EXCEEDS SAE/ USCAR-2 AUGUST 1997, SECTION 5.3.1.2, TERMINAL DISENGAGE CRITERIA WITH THE APPLICATION OF A TERMINAL POSITION ASSURANCE (TPA) SECONDARY LOCK.

| | |
|---|--------|
| DELPHI | |
| DELPHI PACKARD ELECTRICAL/ELECTRONIC ARCHITECTURE WARREN, OH | |
| | DATE |
| APVD1 MIGUEL A. ESTRADA | 13DE10 |
| APVD2 MIGUEL A. ESTRADA | 13DE10 |
| PUBLISHED DATE 03NO11 | |
| DRAWING NAME | |
| ASM CONN 2 F GT 150 SLD | |
| DRAWING NUMBER | |
| 15497504 | |

APPLICATION DRAWING

UNLESS OTHERWISE SPECIFIED

WHEN APPLICABLE, EQUIVALENT PART NUMBERS MAY BE SUBSTITUTED FOR ANY OF THE PART NUMBERS SHOWN IN THE CHARTS ON THIS DRAWING.

* THE VALUES REPRESENT THE CAVITY CAPABILITIES. THE ACTUAL TERMINAL CRIMP DIMENSIONS MUST BE LESS THAN THE VALUES SHOWN.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Aptiv:](#)

[15497504](#)